

EUV-600SxxxSV

600W IP67

90-305Vac

|  |  |  |  |     |  |     |
|--|--|--|--|-----|--|-----|
|  |  |  |  | (2) |  | (3) |
|--|--|--|--|-----|--|-----|

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |



|  |  |  |  |   |
|--|--|--|--|---|
|  |  |  |  |   |
|  |  |  |  | 100%                                    |
|  |  |  |  | 0% - 100%      20MHz<br>0.1µF      10µF |
|  |  |  |  |   |
|  |  |  |  | 100%                                    |
|  |  |  |  |   |
|  |  |  |  | 120Vac 60%-100%                         |
|  |  |  |  | 220Vac 60%-100%                         |
|  |  |  |  | /                                       |
|  |  |  |  |   |


25 C

|  |  |  |  |   |
|--|--|--|--|---|
|  |  |  |  |   |
|  |  |  |  | 100%    25 C<br>2%                          |
|  |  |  |  | 100%    25 C<br>2%                          |
|  |  |  |  | 100%    25 C<br>2%                          |
|  |  |  |  | 220 Vac    25    80%    (MIL-<br>HDBK-217F) |




- 1 EMI ( ) EMI
- 2 , / ( )  
( IEC 60598-1-10.2)






EUV-600S048SV

效率 vs. 输出电流




EUV-600S054SV


效率 vs. 输出电流



功率因数 vs. 负载







|  |  |  | / | / |
|--|--|--|---|---|
|  |  |  |   |   |
|  |  |  |   |   |